Elsevier Science Publishers B.V.

Author Index—Volume 11 (1993)

(The issue number is given in front of the page numbers)

Amodio, P. and D. Trigiante, A parallel direct method for solving initial value problems for ordinary differential equations Arney, D.C., see Biswas, R.	(1-3) 85- 93 (4) 259-282	Gasparo, M.G. and M. Macconi, Parallel quasi-Newton techniques with applications to shooting methods Gear, C.W., Massive parallelism across space in ODEs	(1-3) 159-167 (1-3) 27- 43
Bellen, A. and M. Zennaro, Introduction Bellen, A. and M. Zennaro, The use of Runge-Kutta formulae in waveform re- laxation methods	(1-3) 1- 2 (1-3) 95-114	Gear, C.W. and Xu Xuhai, Parallelism across time in ODEsGlaister, P., An efficient numerical method for subcritical and supercritical open	(1-3) 45- 68
Biswas, R., J.E. Flaherty and D.C. Arney, An adaptive mesh-moving and refinement procedure for one-dimensional conservation laws		channel flows González-Vera, P. and M. Jiménez Paiz, Two-point partial Padé approximants	(6) 497–508 (5) 385–402
Brezinski, C. and H. Sadok, Lanczos-type algorithms for solving systems of linear equations	(4) 259–282(6) 443–473	Hromadka II, T.V. and R.J. Whitley , Expanding the CVBEM approximation in a series	(6) 509–516
Brugnano, L., F. Mazzia and D. Trigiante, Parallel implementation of BVM methods Burrage, K., Parallel methods for initial value	(1-3) 115-124	Jackiewicz, Z., Stability analysis of time-point relaxation Runge-Kutta methods with respect to tridiagonal systems of differen-	
problems Burrage, K., The search for the Holy Grail, or: Predictor-corrector methods for solv-	(1-3) 5- 25	tial equations Jiménez Paiz, M., see González-Vera, P.	(1-3) 189-209 (5) 385-402
ing ODEIVPs Butcher, J.C. , Diagonally-implicit multi-stage integration methods	(1-3) 125-141 (5) 347-363	Leimkuhler, B. and A. Ruehli, Rapid convergence of waveform relaxationLopez, L. and D. Trigiante, Boundary value methods and BV-stability in the solution	(1-3) 211-224
Chen, M. and R. Temam, Incremental un- knowns for convection-diffusion equa- tions	(5) 365–383	of initial value problems Loze, M.K. and R. Saunders, Two simple algorithms for constructing a two-dimensional constrained Delaunay triangula-	(1-3) 225-239
Chiu, C., Optimal one-stage and two-stage schemes for steady state solutions of hy-	(() 475 40(tion	(5) 403–418
perbolic equations Crisci, M.R., B. Paternoster and E. Russo, Fully parallel Runge-Kutta-Nyström	(6) 475–496	Macconi, M., see Gasparo, M.G. Mazzia, F., see Brugnano, L.	(1-3) 159-167 (1-3) 115-124
methods for ODEs with oscillating solu- tions	(1-3) 143-158	Orel, B., Parallel Runge-Kutta methods with real eigenvalues	(1-3) 241-250
Dinavahi, S.P.G., A streakline method for computing two-dimensional vortical flows	(4) 283–308	Paternoster, B., see Crisci, M.R. Pohl, B., On the convergence of the discretized multi-splitting waveform relax-	(1-3) 143-158
El-Tarazi, M.N., see Sallam, S.	(5) 419–427	ation algorithm	(1-3) 251-258
Flaherty, J.E., see Biswas, R.	(4) 259–282	Russo, E., see Crisci, M.R.	(1-3) 211-224 (1-3) 143-158

